

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A fusion protein comprising:  
(a) a subject protein; and  
(b) a polyanionic domain attached to the subject protein at a terminal region, wherein the polyanionic domain binds to a polycationic coating deposited on a solid support and the polyanionic domain has the formula  $[-(\text{SEQ ID NO:1})_x\text{-SEQ ID NO:2-}]_n$  wherein x is 5, 6, 7 or 8 and n is an integer between 1 and 4, and wherein SEQ ID NO:1 is Ala-Gly and SEQ ID NO:2 is Pro-Glu-Gly, wherein the terminal region is the amino-terminal region.

2. (Canceled)

3. (Currently Amended) A fusion protein comprising:  
(a) a subject protein; and  
(b) a polyanionic domain attached to the subject protein at a terminal region, wherein the polyanionic domain binds to a polycationic coating deposited on a solid support and the polyanionic domain has the formula  $[-(\text{SEQ ID NO:1})_x\text{-SEQ ID NO:2-}]_n$  wherein x is 5, 6, 7 or 8 and n is an integer between 1 and 4, , and wherein SEQ ID NO:1 is Ala-Gly and SEQ ID NO:2 is Pro-Glu-Gly, wherein the terminal region is the carboxyl-terminal region.

4. (Previously Presented) The protein of claim 1, wherein the polyanionic domain contains 10 to 30 anionic amino acid residues.

5.-16. (Canceled)

17. (Previously Presented) The protein of claim 1, wherein x is 5.

18. (Previously Presented) The protein of claim 1, wherein x is 6.

19.-56. (Canceled)

57. (Currently Amended) A fusion protein comprising:

(a) a subject protein; and

(b) a polyanionic domain attached to the subject protein at a terminal region,

wherein the polyanionic domain binds to a polycationic coating deposited on a solid support and the polyanionic domain has the formula  $[-(\text{SEQ ID NO:1})_x\text{-SEQ ID NO:7-}]_n$  or  $[-(\text{SEQ ID NO:1})_y\text{-SEQ ID NO:8-}]_m$ , wherein x or y is 0, 1, 2, 3, 4, 5, 6, 7 or 8 and n or m is an integer between 1 and 40, and wherein SEQ ID NO:1 is Ala-Gly, SEQ ID NO:7 is Pro-Asp-Gly and SEQ ID NO:8 is Asp-Gly, wherein the terminal region is the amino-terminal region, wherein the polyanionic domain contains 10 to 30 anionic amino acid residues.

58.-59. (Canceled)

60. (Currently Amended) A fusion protein comprising:

(a) a subject protein; and

(b) a polyanionic domain attached to the subject protein at a terminal region,

wherein the polyanionic domain binds to a polycationic coating deposited on a solid support and the polyanionic domain has the formula  $[-(\text{SEQ ID NO:1})_x\text{-SEQ ID NO:7-}]_n$  or  $[-(\text{SEQ ID NO:1})_y\text{-SEQ ID NO:8-}]_m$ , wherein x or y is 0, 1, 2, 3, 4, 5, 6, 7 or 8 and n or m is an integer between 1 and 40, and wherein SEQ ID NO:1 is Ala-Gly, SEQ ID NO:7 is Pro-Asp-Gly and SEQ ID NO:8 is Asp-Gly, wherein the terminal region is the carboxyl-terminal region, wherein the polyanionic domain contains 10 to 30 anionic amino acid residues.

61. (Canceled)

62. (Currently Amended) A fusion protein comprising:

(a) a subject protein; and

(b) a polyanionic domain attached to the subject protein at a terminal region,

wherein the polyanionic domain binds to a polycationic coating deposited on a solid support and the polyanionic domain has the formula  $[-(\text{SEQ ID NO:1})_y\text{-SEQ ID NO:6-}]_m$ , wherein y is 0, 1, 2, 3, 4, 5, 6, 7 or 8 and m is an integer between 1 and 40, and wherein SEQ ID NO:1 is Ala-Gly and SEQ ID NO:6 is Glu-Gly, wherein the polyanionic domain contains 10 to 30 anionic amino acid residues.

63. (Canceled)

64. (New) A solution comprising a plurality of fusion proteins of any one of claims 1, 3, 57, 60 or 62.